

Innovations

Autumn 2026





Wera impressions

Tool Rebel headquarters in Wuppertal-Cronenberg





Philipp Meyer
Marketing & Sales Manager

» Dear Tool Rebels,

Over the past few months, you have repeatedly expressed one big wish:

We want to be able to buy the Tool Rebel roller cabinets in the unequipped version.

The time has come!

All three models are now available without tools.

Create your very own rebellious roller cabinet.


Make it a real eye-catcher in your workshop.

Are you ready for more new products from Wera?

Turn the pages for a voyage of discovery...

Enjoy!

Yours,
Philipp Meyer



VDE tools

Kraftform Kompakt VDE GO: The super compact set for mobile use. With a loop for the belt, so the tools are immediately accessible. Lightweight and leaving your hands free.

- Handle with ratchet functionality

Safe-Torque Speed: The Safe-Torque Speed allows for quickly adjustable torque. Particularly suitable for work on switch cabinets.

- Slip-over torque function which can not be overtightened – for clockwise/counterclockwise torque operation
- Torque Lock function: for high tightening and loosening moments without torque

page 6



Zyklop Mini ratchet set

The small Mini 2 socket ratchet is the sole hero in this new set. With specially designed sockets that disappear almost halfway into the head of the ratchet. This means that the ratchet impresses not only with its slim design but also with its very small overall height.

- Small overall height even with a socket inserted in the ratchet, ideal for tight installation spaces
- Direct mounting for the Zyklop 8790 FA sockets
- Small return angle of 6° for precise working

page 12



L-Keys

2 Big Pack sets: Comprehensive L-key sets with 18 common sizes for hexagonal socket and TORX®. In practical, pop-up textile pouches. For easy tool access. Sensitive surfaces are well-protected by the textile material of the pouches.

- The plastic sleeve makes working comfortable even at low temperatures
- All L-keys with Take it easy tool finder: colour coding by size and size stamping

page 14



Impact driver with Impaktor sockets

A set for loosening screws without the use of power tools – using only impact force. The Wera impact driver has a particularly high efficiency due to its robust double-curve design.

- Impact forces are converted into rotary motion
- Sockets with Impaktor technology for higher-than-average service life

page 18



Tool bucket organizer

Next on your Bucket List? Wera's new tool bucket organizer! Tools are now organized and ready to hand. This new organizer, complete with screwdrivers, transforms buckets into stylish designer objects. Included are workshop screwdrivers, chiseldrivers and VDE screwdrivers.

- Robust material for high durability
- The textile tool bucket organizer is suitable for buckets and construction site buckets with a top diameter of up to approx. 29 cm

page 22



Torque Tools

Torque set for pipe fittings: A set for professionally and properly executed tightening of fittings on pipes, joints, valves and fixtures.

- For the installation, maintenance and repair of piping systems
- In textile box for better mobility
- Includes insert tools (3 x self-setting spanner, 1 x ratchet)

page 24



Roller cabinets and foam inserts

The Tool Rebel design roller cabinets have a true success story! Proof that tools not only have to function, but can also look good. To attract even more fans, we're now including the un-equipped versions in our product range.

- Extremely robust design
- Foam inserts without chemical emissions

page 28



Screwdrivers

Kraftform screwdrivers with hard handle zones for high working speeds and soft handle zones for a high torque transfer.

- Chiseldriver for screwdriving, chiselling, mortising [page 20, 35](#)
- Individually tested VDE tools with insulated blades [page 23, 34](#)
- Workshop screwdriver with Lasertip tip [page 23, 32, 33](#)
- Arguably the most robust screwdriver set in the world, including Joker spanners with holding function [page 20](#)
- Organisation in action: sorted and ready for the next job [page 22](#)

A man in a dark green t-shirt and jeans is standing on a silver step ladder, working on a ceiling. He is holding a yellow and red screwdriver in his right hand and the ladder's handle in his left. The ceiling is white with several recessed light fixtures. A dark wooden door is visible in the background. The image has a dark green overlay at the bottom with white text.

KRAFTFORM KOMPAKT VDE GO




Nicole,
Wera Innovation Management

“**Kraftform Kompakt VDE GO** was developed after numerous conversations with professional users. The design is not random, but rather a direct response to their desire for quick tool changes and hands-free operation.”

“**Quickly accessible and operable with only one hand.**”

Kraftform Kompakt VDE GO RA 1



- Compact holster for attaching to the belt
- The tools are immediately accessible
- Thanks to the holster's design, it is possible to remove the handle and insert the required blade into it with only one hand
- Particularly suitable for mobile use
- 837 i RA bitholding screwdriver with ratchet functionality for Kraftform Kompakt VDE blades
- 4 Kraftform Kompakt blades with reduced blade diameter and integrated protective insulation (iS); Phillips, Pozidriv, combination profile Pozidriv/slotted and slotted
- 9 mm hex drive with with entry chamfer
- Take it easy tool finder: colour coding by profile and laser-engraved size indication
- Individually tested tools as per IEC 60900 at 10,000 V for safe working up to 1,000 volt

05006620001		
●	837 i RA	1x 9x115
+	Kraftform Kompakt VDE 62 iS Take it easy	1x PH 2x157
+	Kraftform Kompakt VDE 65 iS Take it easy	1x PZ 2x157
+	Kraftform Kompakt VDE 65 iS PZ/S Take it easy	1x # 1x157
●	Kraftform Kompakt VDE 60 iS Take it easy	1x 0,6x3,5x157
	9594 Holster	1x 74,0x167,0
	Hook and Loop Fastener Strip 70	1x 50,0x70,0

The 837 i RA bladeholding screwdriver with ratchet functionality




The integrated ratchet with fine toothing (40 teeth and a return angle of 9°) eases and accelerates screwdriving without having to reposition the tool.

Operable with one hand



Some assembly tasks require operating tools with one hand. Thanks to the holster's design and attaching it to your belt, it is possible to remove the handle and insert the required blade into it using only one hand.

Rapid screwdriving




The ratchet mechanism also allows fast "spinning" while screwdriving.

Robust loops for a secure hold



Strong loops made of rubber band securely hold the 4 Kraftform Kompakt VDE blades and the Kraftform 837 i RA bladeholding screwdriver with ratchet functionality.


Kraftform Kompakt VDE GO RA 2



- 4 Kraftform Kompakt blades with reduced blade diameter and integrated protective insulation (iS); Phillips and slotted

05006621001		
●	837 i RA	1x 9x115
+	Kraftform Kompakt VDE 62 iS Take it easy	1x PH 1x157; 1x PH 2x157
●	Kraftform Kompakt VDE 60 iS Take it easy	1x 0,6x3,5x157; 1x 1,0x5,5x157
	9594 Holster	1x 74,0x167,0
	Hook and Loop Fastener Strip 70	1x 50,0x70,0

Kraftform Kompakt VDE GO RA 3



- 4 Kraftform Kompakt blades with reduced blade diameter and integrated protective insulation (iS); square head and slotted


05006622001		
●	837 i RA	1x 9x115
□	Kraftform Kompakt VDE 68 iS Take it easy	1x # 1x157; 1x # 2x157
●	Kraftform Kompakt VDE 60 iS Take it easy	1x 0,6x3,5x157; 1x 1,0x5,5x157
	9594 Holster	1x 74,0x167,0
	Hook and Loop Fastener Strip 70	1x 50,0x70,0

Compact tool set



The tool set is extremely compact and lightweight.

Handle/interchangeable blade system



The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.




VDE interchangeable blade with reduced shaft diameter (iS)



Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.



Take it easy tool finder



The Kraftform Kompakt VDE blades are equipped with the Take it easy tool finder. The colour coding by profile and the laser-engraved size indication make it easy to identify the required tool quickly.

KRAFTFORM KOMPAKT VDE SAFE-TORQUE SPEED




Individually tested



Each Kraftform Kompakt VDE set has been tested individually at 10,000 volts, in accordance with IEC 60900. This ten-times-higher testing load guarantees safe working at their maximum permitted load of 1,000 volts.



Safe torque transfer



The slip-over torque mechanism for clockwise/counter-clockwise torque operation of the 7516 VDE Safe-Torque Speed torque screwdriver prevents unintentional application of excessive torque.

Quick torque setting




The selectable tightening torques of the Safe-Torque Speed 7516 VDE screwdrivers are quickly set via the slide switch.

Excess-load signal




The clearly audible and tactile slip-over mechanism of the Safe-Torque Speed torque wrenches signals when the set torque is reached.

Kraftform Kompakt VDE Safe-Torque Speed switch cabinet set Basic 1



- Tool set with the 11 most important tools for switch cabinet couplings
- VDE bladeholding torque screwdriver 7516 with 5 pre-set values (2.4; 2.8; 3.2; 3.6; 4.0 Nm)
- Safe: Slip-over torque function which can not be overtightened – for clockwise/counterclockwise torque operation
- Torque Lock function: for high tightening and loosening moments without torque
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy tool finder: colour coding by profile and laser-engraved size indication
- 817 VDE handle for Kraftform Kompakt interchangeable blades
- Compact and stable tool box with Wera 2go compatibility

Kraftform Kompakt VDE Safe-Torque Speed switch cabinet set Basic 2




- With Kraftform Kompakt VDE blades for square head socket screws

05006635001		
7516 VDE	1x 9 mm; 2,4 Nm; 2,8 Nm; 3,2 Nm; 3,6 Nm; 4,0 Nm; 192 mm	
817 VDE	1x 9x98	
Kraftform Kompakt VDE 62 iS Take it easy	1x PH 1x157; 1x PH 2x157	
Kraftform Kompakt VDE 60 iS Take it easy	1x 0,6x3,5x157; 1x 0,8x4,0x157	
Kraftform Kompakt VDE 67 iS TORX® Take it easy	1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
Kraftform Kompakt VDE 68 iS Take it easy	1x # 1x157; 1x # 2x157	
Hook and Loop Fastener Strip 120	1x 50,0x120,0	

05006634001		
7516 VDE	1x 9 mm; 2,4 Nm; 2,8 Nm; 3,2 Nm; 3,6 Nm; 4,0 Nm; 192 mm	
817 VDE	1x 9x98	
Kraftform Kompakt VDE 62 iS Take it easy	1x PH 2x157	
Kraftform Kompakt VDE 65 iS Take it easy	1x PZ 2x157	
Kraftform Kompakt VDE 62 iS PH/S Take it easy	1x # 1x157; 1x # 2x157	
Kraftform Kompakt VDE 65 iS PZ/S Take it easy	1x # 1x157	
Kraftform Kompakt VDE 67 iS TORX® Take it easy	1x TX 20x157; 1x TX 25x157	
Kraftform Kompakt VDE 60 iS Take it easy	1x 0,6x3,5x157; 1x 0,8x4,0x157	
Hook and Loop Fastener Strip 120	1x 50,0x120,0	

Tool set for switch cabinet couplings




Tool set with the 11 most important tools for switch cabinet couplings. Includes one Safe-Torque Speed torque screwdriver with five quickly selectable tightening torque values, one 817 VDE bitholding screwdriver and 9 VDE blades.




KRAFTFORM KOMPAKT ZYKLOP MINI 2

Kraftform Kompakt Zyklop Mini 2 set 1




- Zyklop Mini ratchet for the direct mounting of the Zyklop 8790 FA special sockets with 1/4" and Hex 11 hexagon drive
- The 8790 FA special sockets have a very low overall height (18 mm), ideal for screw connections where space is limited
- Zyklop Mini 2 ratchet in a drop-forged solid steel design
- Fine-pitched ratchet mechanism, small return angle of 6°
- Hollow design of the Zyklop Mini ratchet and the sockets; the thread rods (up to M6) can pass completely through the tool during screwdriving
- Textile box with twist-to-unlock system: secure storage and easy removal of the sockets

05135021001		
●	8005	1x 107
●●	8790 FA	1x 4,0x18,0; 1x 4,5x18,0; 1x 5,0x18,0; 1x 5,5x18,0; 1x 6,0x18,0; 1x 7,0x18,0; 1x 8,0x18,0; 1x 10,0x18,0; 1x 12,0x18,0; 1x 13,0x18,0
	Hook and Loop Fastener Strip 120	1x 50,0x120,0



The Zyklop Mini ratchet 2



The Zyklop Mini ratchet 2 is suitable for the direct mounting of the Zyklop 8790 FA special sockets.

Insert ratchet and sockets for thread rods



The head of the Zyklop Mini 2 ratchet is hollow in the centre – as are the 8790 FA sockets. This allows thread rods up to M 6 to pass completely through the tool during use, and hexagon nuts can be tightened and loosened.



For small spaces



With its small size, the Zyklop Mini ratchet is ideal for all particularly tight installation spaces – especially in combination with the low-profile (18 mm) 8790 FA sockets.




Solid steel for high torque transfer



Thanks to the robust, drop-forged solid steel design of the Zyklop Mini ratchet, up to 65 Nm can be transferred.



Small return angle of 6°



The fine-toothing mechanism of the Zyklop Mini ratchet 2 with 60 teeth allows a small return angle of 6° for precise working.



Reversible clockwise/counter-clockwise



Switching from clockwise to counterclockwise rotation and vice versa is easy using the reversing lever, which can also be operated with just one hand.



L-KEYS WITH DISPLAY POUCH



Leo,
Wera Innovation Management




“The pop-up pouch originated from the question: How can we store the most important L-key profiles in one pouch? Ideally one that stands upright on its own, like a pop-up tent.”

“When opened, the pouch will pop up on its own.”




Big Pack Multicolour L-key hexagonal socket screws (metric) / TORX® set 1



- 9 L-keys for hexagonal socket screws (metric sizes) and 9 for TORX® screws
- The plastic sleeve makes working comfortable even at low temperatures
- All L-keys with Take it easy tool finder: colour coding by size and size stamping
- The ball head on the long arm also allows offset use
- Textile box for L-keys, which stands upright when opened

05133287001		
950 SPKL Multicolour	1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	
967 SXL TORX® Multi-colour	1x TX 8x90; 1x TX 9x101; 1x TX 10x112	
967 SPKXL TORX® Multi-colour	1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	
9598	1x 130,0x40,0x260,0	

Big Pack Multicolour hexagonal socket screws Hex-Plus set 1, metric and imperial



- L-keys for hexagonal socket screws, metric and imperial sizes

05133286001		
950 SPKL Multicolour	1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	
950 SPKL Multicolour Imperial	1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 3/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224	
9597	1x 130,0x40,0x260,0	



Textile box pops up



The textile box pops up when opened and the tools are quickly accessible.

L-keys with a thermoplastic sleeve



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.




Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.




Take it easy tool finder system



With the Take it easy colour codes and size markings, the required size is found quickly.



Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus allows socket head screws to live longer!

IMPAKTOR IMPACT SCREW- DRIVER SET



Take it easy tool finder system




Take it easy tool finder with colour coding by size – for quick and easy identification of the required tool.

Twist-to-unlock mechanism



Textile box with twist-to-unlock system: secure storage and easy removal of the sockets.

2090/16 Impaktor impact screwdriver set 1, metric, 3/8"



- 16-piece impact screwdriver set
- One 2090 impact screwdriver (5/16" hexagonal socket drive) for loosening stuck screw connections using impact
- Loosening moment of up to 90 Nm, no electricity or compressed air required
- 14 Impaktor 8790 B sockets (3/8"); also suitable for use with electric or pneumatic wrenches
- Connector 870/2 to adapt from 5/16" hexagonal socket to 3/8" external square head

05072018001		
●	2090	1x 5/16"x142,0
○ ○	870/2	1x 3/8"x5/16" ¹⁾
● ●	8790 B Impaktor	1x 8,0x30,0; 1x 10,0x30,0; 1x 11,0x30,0; 1x 12,0x30,0; 1x 13,0x30,0; 1x 14,0x30,0; 1x 15,0x30,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 21,0x32,0; 1x 22,0x32,0; 1x 24,0x32,0
	Hook and Loop Fastener Strip 240	1x 50,0x240,0

¹⁾ With friction ball; for manual nut spinner sockets



Loosening stuck screws and bolts



By lightly striking the impact screwdriver with a hammer, even stuck screws can be loosened without the use of power tools.

Highly efficient



The impact screwdriver has a particularly high efficiency with its double-curve design, which turns hammer blows into a rotary movement with high torque.




Impaktor sockets



The extremely robust forged design ensures higher-than-average service life of the Impaktor sockets even at extreme requirements.

Adapter 5/16" to 3/8"



The 870/2 connector adapts from 5/16" hexagon to 3/8" square head, so the 3/8" sockets can be used with the 5/16" impact screwdriver.

LIMITED EDITION

Chiseldriver + Joker double open-end spanner. Limited Edition set 1



LIMITED EDITION

- Brilliant combination: Wera's most robust screwdriver meets the unique Joker spanner
- Your everyday companion in the tool box
- The end stop in the jaws prevents the spanner from slipping down
- Practical holding function for bolts and screws by a special metal plate in both jaws of the Joker 6002 double open-end spanners
- The Joker 6002 double open-end spanner has a small return angle of only 30°, which speeds up work
- 5 chiseldrivers (slotted and Phillips) for screwdriving, chiselling, mortising
- Pound-thru screwdriver blade (hexagonal) made of premium bit material
- Higher torques can be transmitted with the Joker 6002 double open-end spanner included in the set, using the integrated hexagonal bolster at the blade
- The double hexagon geometry of the jaws reduces the risk of the spanner slipping to the side

05136078001		
+	917 SPH	1x PH 1x80; 1x PH 2x100
-	932 A	1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125
	6002 Joker Double	1x 8x10x141
	Rack for Kraftform screwdrivers	1x 190,0x50,0

Chiseldriver + Joker double open-end spanner.
Limited Edition set 2



- 5 chiseldrivers (slotted and Pozidriv) for screwdriving, chiselling, mortising

05136079001		
+	918 SPZ	1x PZ 1x80; 1x PZ 2x100
-	932 A	1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125
	6002 Joker Double	1x 8x10x141
	Rack for Kraftform screwdrivers	1x 190,0x50,0



Integrated impact cap



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.



Integrated hex bolster



Higher torques can be transmitted with the Joker 6002 double open-end spanner included in the set, using the hexagonal bolster integrated at the blade.



Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle – thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.



Holding function



The Joker's holding function means that nuts and bolts can be held in the jaw and easily positioned where they are needed. Fastening on to the thread can then be done quickly and safely, thanks to the innovative special stop-plate which holds the fastener. No more time-wasting searches for dropped nuts and bolts! After applying and positioning the nut

or bolt, fastening can begin immediately – no additional tools required.



No slipping down thanks to the end stop



Constant re-positioning of the wrench? Difficulty holding fasteners in confined spaces? Easing off to avoid any risks of injury or fastener damage? That was yesterday. Today, the Joker prevents slipping off of the fastener head with its integrated limit-stop – no longer is the thumb needed to act as a depth stop. This makes applications much easier and allows significantly more force to be applied during fastening jobs.

TOOL BUCKET ORGANIZER

Better organization in the bucket



With its 16 pockets (9 inside, 7 outside), the tool bucket organizer made of robust textile material with a strong resistance to cuts and punctures turns buckets into a tidy, well-organized transport option. Simply place it over the edge of a bucket and the tools can be stored neatly.

Kraftform Screwdrivers Series 300



Kraftform Plus screwdrivers – ergonomics you can grasp. They relieve the entire hand-arm system even when used intensively. Along with other technical and product advantages such as the Lasertip for a secure fit in the screw head, Kraftform screwdrivers are the ideal choice whenever manual screwdriving jobs are concerned.

2 surfaces with hook-and-loop tape



The tool bucket organizer has 2 hook-and-loop attachment areas, outside: ca. 120 mm x 170 mm; inside: 65 mm x 130 mm (width x height), which allows for attachment of, for example, the textile pouches and boxes of the Wera 2go tool sets, which have a fleece zone at the back.



Take it easy tool finder



Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.



Zoran,
Wera Innovation Management



“We came up with bucket organizers because buckets are a widely used tool transport system. So why do we accept that buckets often look unattractive and that tools end up jumbled together in a mess? That is why we designed an insert that looks good and keeps tools properly organized.”

“Well organized: tool bucket organizer for tool transport.”

9559 Tool bucket organizer screwdriver set 1




- Tool bucket organizer (without bottom) for tools; transforms buckets into a tidy, well-organized transport option
- The textile tool bucket organizer is suitable for buckets and construction site buckets with a top diameter of up to approx. 29 cm
- Robust textile material; strong resistance to cuts and punctures
- 16 pockets (7 outside, 9 inside) for tools, small parts, etc.
- Equipped with a total of 12 screwdrivers for Phillips and Pozidriv, TORX® and slotted
- The textile tool bucket organizer comes without a bucket

05105100001		
	9599	
+	350 PH	1x PH 1x80; 1x PH 2x100
+	355 PZ	1x PZ 2x100
—	334	1x 1,2x6,5x150
—	335	1x 0,8x4,0x100; 1x 1,0x5,5x125
✦	367 TORX®	1x TX 20x100; 1x TX 25x100
—	932 A	1x 1,0x5,5x100; 1x 1,2x7,0x125
—	160 i VDE	1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾

¹⁾ Without Lasertip

²⁾ The tool bucket organizer comes without a bucket

7880 JOKER 4XL



Torque Advisor



The laser-engraved, abrasion-proof QR code makes it easier to determine the correct torque value depending on the torque wrench and insert tool used. Simply scan with your smartphone or tablet (if available, both QR codes: torque wrench and insert tool). A website opens automatically which recognizes

the scanned tools (no app needed!). Then enter the required torque value; the corrected value is determined automatically. No need to use formulas/calculations.


Drive 14x18 mm



For torque wrenches from the Click-Torque X series with 14x18 mm mounting.



Automatically and continuously self-setting



With its automatically and continuously gripping parallel jaws, the 7880 Joker covers all dimensions within the potential operative range. The tool finds the required size by itself when attaching it to the bolt or screw.



Joker 7880: ratchet mechanism for quick working



The ratchet feature in the jaw ensures fast and consistent screwdriving without removing the tool.



Ralf,
Wera Product Development



“We wanted to respond to the fact that the major market-dominating heat pump manufacturers have adjusted their screw sizes. The 4XL closes the gap and now offers an updated torque solution to meet this need.”

“For particularly large hexagon screw heads and bolts.”

7880 Joker 4XL Self-setting insert spanner for wrench sizes 41-55 mm, 14x18 mm



- For the assembly and disassembly of large fittings in the plumbing, heating and ventilation sector
- For torque wrenches from the Click-Torque X series with 14x18 mm mounting
- With mechanical ratchet functionality for fast and consistent screwdriving without removing the spanner
- Return angle of only 30° when using the corner-width rectangular prisms in the jaw
- The laser-engraved, abrasion-proof QR code makes it easier to determine the correct torque value depending on the torque wrench and insert tool used

									
	mm	mm	mm	mm	mm	mm	mm	mm	mm
05020178001	14x18	41-55	41,0	99,0					
			46,0	108,0	1 1/16"	1 11/16"	102,0		
			50,0	112,0	2 1/16"	1 7/8"	110,0	151,0	
			55,0	115,0		2 1/16"	114,0		



**New solution for setting
the torque correctly**

➔ www.wera.de/torque-advisor


TORQUE SET FOR PIPE FITTINGS

Tool set for pipe fittings



The tool set is designed for professionally and properly executed tightening of pipe fittings as per manufacturer's instructions. The professional and proper tightening of pipe fittings is crucial for the leak tightness, security and longevity of hydraulic, pneumatic and water piping systems.

Torque wrench with release mechanism



On reaching the desired torque value, an audible and tactile mechanism is triggered.




ADJUSTABLE

Easy setting of the torque wrench



Easy setting (easy to read on main and fine scales) and saving of the required torque with audible and tactile clicks on reaching the scale values.

Loosening moment up to 50 Nm



If the torque wrench is set to the maximum torque and rotated once around its own longitudinal axis, screw connections with a maximum loosening torque of 50 Nm can be loosened.



Dirk,
Wera Innovation Management



“We developed this set because we saw how incorrect tightening moments frequently lead to leakage or damage to equipment flanges and modern valves. A clearly defined torque is the simplest and safest solution to this.”

“Reliable protection against leaks and damage.”

9558 Torque set for pipe fittings, 10-50 Nm



- For professionally and properly executed tightening of pipe fittings as per manufacturer's instructions
- Adjustable Click-Torque X 2 torque wrench, measuring range 10 - 50 Nm
- 4 self-setting insert spanners (9x12 mm drive) for wrench sizes 10 - 19 (7/16" - 3/4") and all intermediate sizes
- With mechanical ratchet functionality for fast and consistent screwdriving without removing the spanner
- Torque Advisor: innovative torque calculation system for Click-Torque X torque wrenches in combination with insert tools
- One reversible insert ratchet for 3/8" square head sockets and 3/8" connectors with square head drive

05136062001	
Click-Torque X 2	1x 9x12, 10-50 Nm
7870 Joker S	1x 9x12x10-13 (7/16"-1/2")x57,7
7870 Joker M	1x 9x12x13-16 (1/2"-5/8")x67,7
7870 Joker L	1x 9x12x16-19 (5/8"-3/4")x77,0
7772 B	1x 9x12x3/8"x52,1

TOOL REBEL ROLLER CABINETS WITHOUT TOOLS





- Exclusive roller cabinet in the Tool Rebel design
- Without tools
- Extremely robust thanks to a double-walled design
- 100 % drawer pull-out with ball bearing telescopic slides, self-closing
- All drawers are elaborately and individually layered
- Minimum risk of tilting over thanks to the drawer stop - only one drawer can be opened, no simultaneous pull-out of multiple drawers
- Both sides with square head boring

9800 Tool Rebel roller cabinet, without tools



- Exclusive roller cabinet in the Tool Rebel design
- Without tools
- Width x height x depth: 785 x 1020 x 518 mm
- 7 drawers (5 shallow, 2 deep)
- Dimensions shallow drawers (width x height x depth): 522 x 81 x 398 mm
- Dimensions deep drawers (width x height x depth): 522 x 166 x 398 mm


			
	mm	mm	mm
05305851001	785,0	518,0	1020,0

9805 Tool Rebel roller cabinet Stainless, without tools



- Storage and work surface in stainless steel; completely sealed to protect the inside of the cabinet, e.g. from leaking liquids
- Width x height x depth: 785 x 1020 x 518 mm
- 7 drawers (5 shallow, 2 deep)
- Dimensions shallow drawers (width x height x depth): 522 x 81 x 398 mm
- Dimensions deep drawers (width x height x depth): 522 x 166 x 398 mm

			
	mm	mm	mm
05501880001	785,0	518,0	1020,0



High loads




The dynamic load of the roller cabinet is 540 kg, the static load is 1,000 kg and the drawer load is 25 kg.

9801 Tool Rebel roller cabinet Stainless XXL, without tools



- Large storage and work surface in stainless steel; completely sealed to protect the inside of the cabinet, e.g. from leaking liquids
- Width x height x depth: 1133 x 1020 x 518 mm
- 7 drawers (5 shallow, 2 deep)
- Dimensions shallow drawers (width x height x depth): 870 x 81 x 398 mm
- Dimensions deep drawers (width x height x depth): 870 x 166 x 398 mm

			
	mm	mm	mm
05501881001	1133,0	588,0	1020,0



High loads



The dynamic load of the roller cabinets is 750 kg, the static load is 1,000 kg and the drawer load is 40 kg.

Robust design for hard work in the workshop



The double-walled design and the completely welded construction make the Tool Rebel roller cabinet extremely robust. The optimized yielding edge protection on all four corners ensures reliable impact protection thanks to an internal cushioning action.

Heavy-duty gear




The Tool Rebel roller cabinet has large wheels, each with a load of 250 kg, with precision ball bearings and double ball rims in the spindle carrier. The workshop trolley is easy to move, even under high dynamic loads.

Secure locking, smooth running




The two swivel castors are equipped with a double stop: The locked castor reliably prevents it from rolling away, the locked spindle carrier prevents the castors from turning unintentionally, e.g. on sloped surfaces. The oil- and acid-resistant elastic wheels ensure smooth running. A protective ring prevents the ingress of dirt and threads.

Safe storage and quick overview





The tools sit securely in the foam thanks to precise contour cut-outs, but are easy to remove. The carefully designed arrangement of the tools ensures space-saving storage and quick access to each tool.

Two-coloured foam insert



After removing the tool the light grey second foam becomes visible and therefore missing tools are quickly identified.

9717 Foam insert Kraftform series 300 screwdriver set 1





- Durable foam insert, each tool has its own place; two-coloured, missing tools will quickly be noticed
- Screwdriver for slotted and cross-recess screws, Phillips
- Multi-component Kraftform handle for fast and low-fatigue working
- Screwdrivers Take it easy: colour coding by profile and size stamping
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

05150127001		
+	350 PH	1x PH 1x80; 1x PH 2x100
●	334	1x 1,2x6,5x150
●	335	1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
	9817	1x 172,0x30,0x392,0

¹⁾ Without Lasertip

²⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9718 Foam insert Kraftform series 300 screwdriver set 2



- Screwdrivers for slotted and Pozidriv screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm



05150128001		
+	355 PZ	1x PZ 1x80; 1x PZ 2x100
●	334	1x 1,2x6,5x150
●	335	1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
	9817	1x 172,0x30,0x392,0

¹⁾ Without Lasertip

²⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9719 Foam insert Kraftform series 300 screwdriver set 3



- Screwdrivers for Phillips, Robertson (square head) and slotted screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

05150129001		
+	350 PH	1x PH 1x80; 1x PH 2x100
•	335	1x 0,8x4,0x100; 1x 1,0x5,5x125
○	368	1x # 1x80; 1x # 2x100
	9819	1x 172,0x30,0x392,0

* Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.



Screwdrivers with Take it easy tool finder



Thanks to the colour coding and size stamping on the handle, the required tool can be found quickly.



Individually tested tools as per IEC 60900 at 10,000 V





The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

97110 Foam insert Kraftform series 100 VDE screw-driver set 1




- Insulated, individually tested screwdrivers as per IEC 60900 for safe working up to 1,000 volt
- For both slotted and Phillips screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

05150133001	
+	162 i VDE PH 1x PH 1x80; 1x PH 2x100
●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
	98110 1x 172,0x30,0x392,0

¹⁾ Without Lasertip

²⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

97111 Foam insert Kraftform series 100 VDE screw-driver set 2




- Screwdrivers for Phillips, Robertson (square head) and slotted screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

05150134001	
+	162 i VDE PH 1x PH 1x80; 1x PH 2x100
●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 1,0x5,5x125
○	168 i VDE 1x # 2x100
	98111 1x 172,0x30,0x392,0

¹⁾ Without Lasertip

²⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.


97112 Foam insert Kraftform series 900 chiseldriver set 1



- Chiseldriver for slotted and Phillips screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

05150170001		
+	917 SPH	1x PH 1x80; 1x PH 2x100
-	932 A	1x 0,6x3,5x80 ^{1) 2) 3)} ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125
	98112	1x 172,0x30,0x392,0

97113 Foam insert Kraftform series 900 chiseldriver set 2



- Chiseldriver for slotted and Pozidriv
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

05150171001		
+	918 SPZ	1x PZ 1x80; 1x PZ 2x100
-	932 A	1x 0,6x3,5x80 ^{1) 2) 3)} ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125
	98113	1x 172,0x30,0x392,0

¹⁾ No pound-thru blade

²⁾ No impact cap

³⁾ No hexagon bolster

⁴⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.




Integrated impact cap



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin “sticking” to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.






Latest Wera news – in touch with the Tool Rebels

Newsletter

Don't miss anything – we keep you informed about product innovations, promotions, everything about the Wera brand and the Tool Rebels. (approx. 4 issues per year)

Click here to register:



Social Media

Follow the Wera Tool Rebels – exciting content awaits you such as information about tools, April Fools' jokes and good rock music!


@weratoolsuk



Trade fairs

Meet the Tool Rebels – visit us in person.

You can find our trade fair dates here:



No liability for printing errors or mistakes shall be assumed.



Wera Werkzeuge GmbH
Korzter Straße 21–25
D-42349 Wuppertal | Germany
Phone: +49 (0)202 / 40 45-0
E-Mail: info@wera.de
www.wera.de

Wera Tools (UK) LTD.
Railway View | Clay Cross
Chesterfield | Derbyshire | S45 9FR
+44 (0)1246 / 277756
queries@wera-tools.co.uk
weratools.co.uk

Wera Tools Inc. (North America)
3325 Harvester Rd #16,
Burlington, ON,
Canada L7N 3N2
Phone: 1-800-267-55 41
E-Mail: info@weratools.com
www.weratools.com

Wera Tools Australia Pty Ltd.
Mike Sack
Tel.: +61-435 755 123
Email: mike.sack@wera.de
www.wera.de/en



EN 05 510207 026 - 20007251 - 01