

162IS PH/S # 2 X 100 MM Hang-Tag VDE-Insulated Screwdriver

Kraftform Plus - Series 100 VDE



EAN:	4013288195258	Size:	290x45x36 MM
Part Number:	05100126001	Weight:	91 G
Article Number:	162 iS PH/S # 2 x 100 mm SB	Country of origin:	CZ
		Customs Tariff Number:	8205400000

- Insulated blades for secure work at 1,000 volts
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- Reduced shaft diameter; combination profile Phillips/slotted

Reduced blade diameter with integrated insulation protection so that even low-lying screw and spring elements can be accessed and actuated. Combination profile - slotted and Phillips particularly for jobs on terminal blocks, fuse boxes, switches and relays. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. The anti-roll feature prevents any bothersome rolling away at the workplace

Wera - 162 iS PH/S # 2 x 100 mm SB
05100126001 - 4013288195258

Wera Tools North America
Toll Free Phone: 1-800-267-5541
Toll Free Fax: 1-877-650-9372
Email: orders@weratools.com
2900 Service Rd, Unit 2 Ni
Niagara Falls, NY, 14304, USA

162IS PH/S # 2 X 100 MM Hang-Tag VDE-Insulated Screwdriver

Kraftform Plus - Series 100 VDE




Individually tested



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

Reduced blade diameter



Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Multicomponent Kraftform handle




Wera produces the Kraftform handle out of several materials with different properties. A resistant plastic is used for the core which ensures that the blade is held securely even under high strain. A softer material is used for the coloured soft zones, which provides high frictional resistance and allows the transfer of high forces - resulting in less required screwdriving effort. The red sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.

Identification marking



The screw symbol and tip size identification markings on the handle make it easier to find the right screwdriver in the tool case, or at the workplace.

Impact strength test



Impact strength tested at -40°C, guaranteeing safety even under extreme conditions.

Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.

162IS PH/S # 2 X 100 MM Hang-Tag VDE-Insulated Screwdriver

Kraftform Plus - Series 100 VDE



contents:

162IS

1x 162 iS PH/S # 2 x 100 mm SB

